




**PELTOR™**  
Protection & Communication

**3M™ PELTOR™**

# Hunting & Sport Shooting

**3M Science. Applied to life.™**





---

**Hunters and marksmen, both amateur and professional, have the same basic needs – their hearing and vision are crucial for all forms of shooting. The right equipment can help them focus at critical moments.**

---

Noise reduction may be lower if anything (e.g. caps, glasses, straps, etc.) is worn between the earmuff cushion and head. For greatest protection, ensure the entire earmuff cushion seals directly against the head.





In collaboration with sports shooters, hunters, soldiers and police officers we have developed a unique and attractive range of hearing protectors.

These products can help to prevent hearing damage, but also improve your situational awareness, to help you perform at critical moments.







## Designed Comfort

Many shooters wear their hearing protectors for long periods of time. Comfortable hearing protectors can help you to stay focused. The low, two-point fasteners allow an even distribution of pressure over the cushion area, to help ensure the earmuff stays in place even during sudden head movements or positioning the weapon. This construction also helps ensure a snug fit without compromising comfort and protection for high quality sound reproduction.

## Excellent attenuation

A gunshot is an impulse noise, which can be harmful to the human ear. A single shot can cause permanent damage without the proper hearing protection. Our range of hearing protectors for shooting are specially designed to help attenuate impulse noise from a gunshot.

## Hear what you want to hear

Our level dependent hearing protectors contain advanced electronics with built-in microphones. The level dependent ear muffs can amplify external sounds helping to pin-point targets with great accuracy. Not only are sounds amplified, but they are also reproduced in stereo, allowing you to detect where they are coming from. You become a better hunter when you can hear your dog and prey from a greater distance.

## Important warning signals

A passive hearing protector attenuates all noise, including speech frequencies. Whilst correct level of passive protection can help safeguard the wearer's hearing, however, it does not improve communication with external environment. Our level dependent hearing protector helps improve communication and situational awareness. For example, the instructors at a shooting range can communicate effectively with the shooters without having to remove the hearing protector.






3M™ PELTOR™ Level Dependent Earplug, LEP-200 EU

# Small, Smart and Effective.

The 3M™ PELTOR™ Level Dependent Earplug helps protect your hearing, and can help improve situational awareness and communications in challenging environments. Integrated with state-of-the-art level-dependent technology, the LEP-200 EU helps provide hearing protection

in noise and situational awareness in quiet environments. Ear pieces also include a small antenna to allow audio signals to be received wirelessly from a neckloop accessory (accessory sold separately).



TEP-LOOP 200 /  
TEP-LOOP 201  
(Not Incl.)



- 3M™ E-A-R™ UltraFit™ Earplug, Small
- 3M™ E-A-R™ UltraFit™ Earplug, Medium
- 3M™ E-A-R™ UltraFit™ Earplug, Large
- 3M™ PELTOR™, CCC-GRM-25 Earplug
- 3M™ E-A-R™ Torque™ Earplug (not inc.)

## 3M™ PELTOR™ Electronic Earplug, EEP-100 EU

# Good things come in small packages.

The 3M™ PELTOR™ Electronic Earplug helps protect your hearing, and can help improve situational awareness and communications in challenging environments.

The earpieces are rechargeable via a USB jack on the

charging case. The case also provides easy and convenient storage of the earpieces when not being used.

The small and lightweight design helps improve the overall comfort and user experience.

**Button**  
Intuitive one-button operation turns unit on, off, and selects volume settings (3).

**Hearing Protection**  
Replaceable communications eartip helps provide hearing protection in noisy environments. Multiple sizes and types designed to fit most ear canals.

**Microphone Port**  
Helps minimize wind noise. Additional windscreen accessory also available.

**Rechargeable**  
Charging contacts recharge the unit while in the case. Li-ion battery provides up to 16 hours of continuous operation.

**Design**  
Corner radius designed to help soften contact zone and increase comfort.

**Clear lid**  
Enables easy visibility of charging status when closed.

**Sealing Ring**  
Rubber sealing ring helps protect earplugs in wet and dirty environments.

**Charging Case**  
Pocket-sized storage and charging container. Including charging status indicator.

**Micro B USB Charging Port**  
USB port enables the charging of the earplugs when plugged into a computer or wall socket (USB cable included).



*WINCHESTER*

**Aimpoint.**

**3M | PELTOR**

SPORT  
X

## 3M™ PELTOR™ SportTac™ Hearing Protection

# A trusted companion.

The 3M™ PELTOR™ SportTac™ Hearing Protector is one of our most popular product, worn by thousands of hunters and shooters around the world. The unique digital sound circuit eliminates the sharp sound clip that is typical for many level dependent hearing protectors on the market. The electronics in

the 3M™ PELTOR™ SportTac™ Hearing Protector react instantaneously, and help protect your hearing from loud impulse noises. The system is designed and constructed to react so gently that you rarely hear the clip as the protection is activated.





## 3M™ PELTOR™ ProTac Shooter & Hunter Hearing Protector

# Protection made easy.

The ProTac series offers a simple and user friendly range of products equipped with a digital level dependent function, specifically tuned for hunters and shooters. Large buttons for easy navigation and selection. A 3,5

mm input jack allows you to connect a hunting radio to the headset. Attenuation ratings range from SNR 26 dB for ProTac Shooter Hearing Protector, to SNR 32 dB for ProTac Hunter Hearing Protector.









## 3M™ PELTOR™ Tactical XP Hearing Protector

# Extra Performance.

The 3M™ PELTOR™ Tactical™ XP helps to protect you from harmful noise and impulse sounds, while allowing and even amplifying ambient sounds such as conversation, barking of dogs and warning signals. The built-in functions of the Tactical

XP make it different from other active hearing protectors as the user can control and vary the volume function for the current situation. When necessary ambient sounds can be amplified more than with any other 3M PELTOR hearing protector.





## Comparison Chart of 3M™ PELTOR™ Hearing Protectors



**3M™ PELTOR™  
ProTac Hunter**



**3M™ PELTOR™  
ProTac Shooter**



**3M™ PELTOR™  
Tactical XP**

|                            | 3M™ PELTOR™<br>ProTac Hunter | 3M™ PELTOR™<br>ProTac Shooter | 3M™ PELTOR™<br>Tactical XP |
|----------------------------|------------------------------|-------------------------------|----------------------------|
| <b>Max Amplification</b>   | Low                          | Low                           | High                       |
| <b>Volume Steps</b>        | 5                            | 5                             | 5                          |
| <b>Headband / cover</b>    | Non foldable / Plastic       | Non foldable / Plastic        | Foldable / Leather         |
| <b>Extra shells inc.</b>   | No                           | No                            | No                         |
| <b>App. with Gel Rings</b> | No                           | No                            | No                         |
| <b>Operating time</b>      | ~100h                        | ~100h                         | ~1000h                     |
| <b>Charging time</b>       | N/A                          | N/A                           | N/A                        |
| <b>SNR</b>                 | 26 dB                        | 26 dB                         | 31 dB                      |
| <b>External Input</b>      | 3,5mm                        | 3,5mm                         | J22                        |
| <b>Colour(s)</b>           | Olive Green                  | Olive Green                   | Black                      |



**3M™ PELTOR™  
SportTac™**




**3M™ PELTOR™  
LEP-200 EU**



**3M™ PELTOR™  
EEP-100 EU**

|                   |                             |             |
|-------------------|-----------------------------|-------------|
| HIGH              | MEDIUM                      | Low         |
| 65                | 3                           | 3           |
| Foldable / Rubber | N/A                         | N/A         |
| Yes               | N/A                         | N/A         |
| Yes               | N/A                         | N/A         |
| ~500h             | ~16h                        | ~16h        |
| N/A               | ~90min                      | ~180min     |
| 26 dB             | 32/36/38 dB                 | 32/36/38 dB |
| J22               | Wireless Magnetic Induction | N/A         |
| Green, Orange     | Yellow                      | Green       |





# 3M™ PELTOR™ Bull's Eye™ Hearing Protector

## 3M™ PELTOR™ Bull's Eye I

The 3M™ PELTOR™ Bull's Eye™ I Hearing Protector was designed in collaboration with world-class sport shooters to develop a hearing protector that meets the need of different wearers. For example, a bevelled edge on the bottom of the shell helps prevent the unit from coming into contact with the barrel when sighting. The hearing protector has the necessary attenuation for most shooting application without being bulky so as not to interfere with the shooting process.

Wearer comfort is one of the critical determining factors when selecting appropriate hearing protector. The chosen hearing protector needs to be comfortable and offer adequate protection to help ensure the device is worn at all times during exposure to potentially hazardous noise. With its wide cushions filled with foam and fluid the 3M™ PELTOR™ Bull's Eye I Hearing Protector helps provide low pressure around the ears without compromising hearing protection. The foldable headband helps ensure that it takes up minimum space when not in use.

The 3M™ PELTOR™ Bull's Eye™ I Hearing Protector comes in red, green and black.



Colours:



Weight: 190 g.

## 3M™ PELTOR™ Bull's Eye II Hearing Protector

A hearing protector specially designed for high noise exposure. Comfortable to wear even over long periods of time. Features a convenient low profile foldable headband. Available in red, green and black.



Colours:



Weight: 230 g.

## 3M™ PELTOR™ Bull's Eye III Hearing Protector

A hearing protector with extremely high attenuation for very loud noise. The wide, soft, padded headband provide comfort even during prolonged period of use. Available in green.



Colours:



Weight: 285 g.

## 3M™ PELTOR™ KID Hearing Protector

A range of hearing protectors are specially designed for little ones. Children have extremely sensitive hearing, and they also have more difficulty in protecting themselves from harmful noise. The 3M™ PELTOR™ KID Hearing Protector range comes in neon pink and neon green.



Colours:



Weight: 180 g.











## Hygiene Kit

Ear muffs, and in particular cushions, may deteriorate with use and should be examined at frequent intervals for cracking and leakage.



To replace ear cushions, slide your finger under the edge of the ear cushion and pull straight out.



Insert a new ear cushion by pressing until it snaps into place.

## 3M™ PELTOR™ Level Dependent Earplug, LEP-200 EU



| Article Number | Description   | 3M ID       |
|----------------|---|-------------|
| LEP-200 EU     | 3M™ PELTOR™, Level Dependent Ear Plug Kit, LEP-200 EU | 70071677028 |

### Accessories & Spare Parts

| Article Number | Description   | 3M ID       |
|----------------|---|-------------|
| LEP-CORD       | 3M™ PELTOR™, LEP-CORD, Replacement Cord               | 70071673795 |
| LEP-200E       | 3M™ PELTOR™, LEP-100E, Replacement Ear piece, Neon    | 70071677044 |
| LEP-100C       | 3M™ PELTOR™, LEP-100C, Replacement Case, Neon         | 70071675139 |
| 370-TEPL-25    | 3M™ Ultrafit™ Ear tips, Large, Coyote Brown, 25 pairs | 70071673746 |
| 370-TEPM-25    | 3M™ Ultrafit™ Ear tips, Medium, Desert Tan, 25 pairs  | 70071673738 |
| 370-TEPS-25    | 3M™ Ultrafit™ Ear tips, Small, OD Green, 25 pairs     | 70071673720 |
| PELTIP5-01     | 3M™ Torque™ Ear tip, 50 pairs                         | 7000108492  |
| CCC-GRM-25     | 3M™ CCC-GRM-25, Triple C, 25 pairs                    | 70071675212 |
| TEP-WINDSCREEN | 3M™ LEP/TEP Foam WINDSCREEN, 15 pairs                 | 70071675907 |
| TEP-LOOP-200   | 3M™ PELTOR™ Neckloop, 3,5mm Stereo plug               | 70071677036 |
| TEP-LOOP-201   | 3M™ PELTOR™ Neckloop, 3,5mm Mono plug                 | 70071730694 |

## 3M™ PELTOR™ Electronic Earplug, EEP-100 EU



| Article Number | Description                                | 3M ID       |
|----------------|--|-------------|
| EEP-100 EU     | 3M™ PELTOR™ Electronic Earplug, EEP-100 EU | 70071730785 |

### Accessories & Spare Parts

| Article Number | Description   | 3M ID       |
|----------------|---|-------------|
| TEP-CORD       | 3M™ PELTOR™, TEP-CORD, Replacement Cord               | 70071673795 |
| 370-TEPL-25    | 3M™ Ultrafit™ Ear tips, Large, Coyote Brown, 25 pairs | 70071673746 |
| 370-TEPM-25    | 3M™ Ultrafit™ Ear tips, Medium, Desert Tan, 25 pairs  | 70071673738 |
| 370-TEPS-25    | 3M™ Ultrafit™ Ear tips, Small, OD Green, 25 pairs     | 70071673720 |
| PELTIP5-01     | 3M™ Torque™ Ear tip, 50 pairs                         | 7000108492  |
| CCC-GRM-25     | 3M™ CCC-GRM-25, Triple C, 25 pairs                    | 70071675212 |
| TEP-WINDSCREEN | 3M™ LEP/TEP Foam WINDSCREEN, 15 pairs                 | 70071675907 |

#### Ultrafit™ Eartips

| Frequency (Hz)                | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
|-------------------------------|------|------|------|------|------|------|------|
| Mean Attenuation (dB)         | 34,5 | 31,5 | 36,2 | 33,4 | 34,8 | 34,9 | 38,8 |
| Standard deviation (dB)       | 6,0  | 5,4  | 5,6  | 4,3  | 3,8  | 5,0  | 4,0  |
| Assumed Protection Value (dB) | 28,5 | 26,1 | 30,6 | 29,1 | 31,0 | 29,9 | 34,8 |

SNR=32 dB H=31dB M=30 dB L=29 dB

#### PELTIP5-01/Torque™ Eartips

| Frequency (Hz)                | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
|-------------------------------|------|------|------|------|------|------|------|
| Mean Attenuation (dB)         | 37,8 | 36,0 | 40,5 | 41,2 | 41,3 | 39,6 | 46,1 |
| Standard deviation (dB)       | 4,3  | 5,5  | 4,2  | 4,7  | 3,2  | 4,3  | 3,6  |
| Assumed Protection Value (dB) | 33,5 | 30,5 | 36,3 | 36,5 | 38,0 | 35,3 | 42,5 |

SNR=38 dB H=37dB M=36 dB L=34 dB

#### 3M™ CCC-GRM-25 Eartips

| Frequency (Hz)                | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
|-------------------------------|------|------|------|------|------|------|------|
| Mean Attenuation (dB)         | 35,5 | 32,5 | 37,1 | 38,0 | 37,6 | 39,5 | 45,5 |
| Standard deviation (dB)       | 4,5  | 4,0  | 4,4  | 3,7  | 2,9  | 4,6  | 4,2  |
| Assumed Protection Value (dB) | 30,9 | 28,4 | 32,7 | 34,3 | 34,6 | 34,9 | 41,3 |

SNR=36 dB H=35 dB M=34 dB L=32 dB

# 3M™ PELTOR™ SportTac™ Hearing Protection



| Article Number     | Description                                       | 3M ID      |
|--------------------|---|------------|
| MT16H210F-478-RE   | 3M™ PELTOR™ SportTac™, pink and green cups inc.   | 7100090955 |
| MT16H210F-478GN945 | 3M™ PELTOR™ SportTac™, yellow and green cups inc. | 7000108339 |
| MT16H210F-478-RD   | 3M™ PELTOR™ SportTac™, black and red cups inc.    | 7000039607 |
| MT16H210F-478-GN   | 3M™ PELTOR™ SportTac™, orange and green cups inc. | 7100004420 |

## Accessories & Spare Parts

| Article Number | Description                            | 3M ID      |
|----------------|--|------------|
| HY21           | Hygiene Kit                            | 7000039686 |
| HY80S-EU       | Gel Rings                              | 7100121710 |
| 210100-478-GN  | One pair of replacement shells, green  | 7000107841 |
| 210100-478-OR  | One pair of replacement shells, orange | 7000107842 |
| 210100-478-SV  | One pair of replacement shells, black  | 7000107843 |
| 210100-478-RD  | One pair of replacement shells, red    | 7000107844 |
| 210100-478-VI  | One pair of replacement shells, white  | 7000107845 |
| FL6H           | Cable 3.5-mm mono jack                 | 7000107805 |
| FL6M           | Cable 2.5-mm mono jack                 | 7000107806 |
| FL6N           | Cable 3.5-mm stereo jack               | 7100064600 |

### MT16H210F-478-GN

| Frequency (Hz)                | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
|-------------------------------|------|------|------|------|------|------|------|
| Mean Attenuation (dB)         | 21.1 | 17.9 | 27.0 | 26.8 | 30.5 | 38.3 | 36.4 |
| Standard deviation (dB)       | 4.3  | 3.1  | 3.8  | 3.0  | 3.0  | 3.7  | 5.4  |
| Assumed Protection Value (dB) | 7.8  | 14.8 | 23.2 | 23.8 | 27.5 | 34.6 | 31.0 |

SNR=26 dB H=29 dB M=23 dB L=16 dB

### MT16H210F-478\* with HY80S-EU GEL RING

| Frequency (Hz)                | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
|-------------------------------|------|------|------|------|------|------|------|
| Mean Attenuation (dB)         | 13.8 | 17.6 | 24.7 | 29.8 | 29.9 | 39.3 | 40.7 |
| Standard deviation (dB)       | 2.9  | 2.7  | 3.0  | 2.2  | 3.7  | 4.2  | 3.8  |
| Assumed Protection Value (dB) | 10.9 | 14.9 | 21.7 | 27.6 | 26.1 | 35.2 | 36.9 |

SNR=27 dB H=29 dB M=24 dB L=17 dB

# 3M™ PELTOR™ ProTac Shooter Hearing Protection 3M™ PELTOR™ ProTac Hunter Hearing Protection



| Article Number | Description                | 3M ID      |
|----------------|----------------------------|------------|
| MT13H222A      | 3M™ PELTOR™ ProTac Hunter  | 7100088458 |
| MT13H223A      | 3M™ PELTOR™ ProTac Shooter | 7100088425 |

## Accessories & Spare Parts

| Article Number | Description              | 3M ID      |
|----------------|--------------------------|------------|
| HY220          | Hygiene Kit              | 7100101874 |
| FL6CE          | Cable 3.5-mm stereo jack | 7000108359 |

### MT13H222A

| Frequency (Hz)                | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
|-------------------------------|------|------|------|------|------|------|------|
| Mean Attenuation (dB)         | 13.3 | 17.4 | 22.3 | 28.0 | 30.8 | 37.6 | 37.0 |
| Standard deviation (dB)       | 3.2  | 1.8  | 2.3  | 3.2  | 3.4  | 2.8  | 4.8  |
| Assumed Protection Value (dB) | 10.1 | 15.6 | 20.0 | 24.8 | 27.4 | 34.8 | 32.2 |

SNR=26 dB H=29 dB M=23 dB L=17 dB

### MT13H223A

| Frequency (Hz)                | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
|-------------------------------|------|------|------|------|------|------|------|
| Mean Attenuation (dB)         | 17.0 | 24.0 | 29.5 | 36.9 | 37.3 | 39.3 | 35.4 |
| Standard deviation (dB)       | 3.2  | 2.0  | 2.6  | 3.3  | 4.9  | 3.2  | 3.9  |
| Assumed Protection Value (dB) | 13.8 | 22.0 | 26.9 | 33.6 | 32.4 | 36.1 | 31.5 |

SNR=32 dB H=34 M=29 dB L=22 dB

# 3M™ PELTOR™ Tactical XP Hearing Protection



| Article Number | Description             | 3M ID      |
|----------------|-------------------------|------------|
| MT1H7F2        | 3M™ PELTOR™ Tactical XP | 7000039608 |

## Accessories & Spare Parts

| Article Number | Description              | 3M ID      |
|----------------|--------------------------|------------|
| HY79           | Hygiene Kit              | 7100063118 |
| FL6H           | Cable 3.5-mm mono jack   | 7000107805 |
| FL6M           | Cable 2.5-mm mono jack   | 7000107806 |
| FL6N           | Cable 3.5-mm stereo jack | 7100064600 |

| MT1H7F2*                      |      |      |      |      |      |      |      |
|-------------------------------|------|------|------|------|------|------|------|
| Frequency (Hz)                | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
| Mean Attenuation (dB)         | 13.8 | 21.5 | 30.9 | 36.6 | 35.9 | 35.5 | 39.0 |
| Standard deviation (dB)       | 1.8  | 0.9  | 1.3  | 1.5  | 5.5  | 3.1  | 2.3  |
| Assumed Protection Value (dB) | 12.0 | 20.6 | 29.6 | 35.1 | 30.4 | 34.4 | 36.7 |

SNR = 31dB H=32dB M=25dB L=20dB

# 3M™ PELTOR™ Bull's Eye™ Hearing Protection



## Hygiene kits

| For hearing protectors                       | Article number |
|--|----------------|
| 3M™ PELTOR™ Bull's Eye I hearing protector   | HY51           |
| 3M™ PELTOR™ Bull's Eye II hearing protector  | HY52           |
| 3M™ PELTOR™ Bull's Eye III hearing protector | HY54           |
| 3M™ PELTOR™ Kid hearing protector            | HY51           |

## 3M™ PELTOR™ Bull's Eye™ I

| H515FB***                     |      |      |      |      |      |      |      |
|-------------------------------|------|------|------|------|------|------|------|
| Frequency (Hz)                | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
| Mean Attenuation (dB)         | 10.9 | 17.2 | 26.6 | 28.3 | 33.5 | 37.8 | 37.9 |
| Standard deviation (dB)       | 3.2  | 2.5  | 2.2  | 2.7  | 2.6  | 2.0  | 2.6  |
| Assumed Protection Value (dB) | 7.7  | 14.8 | 24.4 | 25.6 | 30.9 | 35.7 | 35.3 |

SNR = 27dB H=32dB M=24dB L=15dB

## 3M™ PELTOR™ Bull's Eye™ II

| H520F                         |      |      |      |      |      |      |      |
|-------------------------------|------|------|------|------|------|------|------|
| Frequency (Hz)                | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
| Mean Attenuation (dB)         | 14.5 | 20.3 | 32.6 | 39.1 | 35.1 | 34.7 | 39.8 |
| Standard deviation (dB)       | 1.8  | 2.6  | 2.4  | 2.5  | 2.3  | 2.7  | 2.5  |
| Assumed Protection Value (dB) | 12.7 | 17.7 | 30.2 | 36.6 | 32.8 | 32.0 | 37.3 |

SNR=31dB H=34dB M=26dB L=20dB

## 3M™ PELTOR™ Bull's Eye™ III

| H540A                         |      |      |      |      |      |      |      |
|-------------------------------|------|------|------|------|------|------|------|
| Frequency (Hz)                | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
| Mean Attenuation (dB)         | 17.4 | 24.7 | 34.7 | 41.4 | 39.3 | 47.5 | 42.6 |
| Standard deviation (dB)       | 2.1  | 2.6  | 2.0  | 2.1  | 1.5  | 4.5  | 2.5  |
| Assumed Protection Value (dB) | 15.3 | 22.1 | 32.7 | 39.3 | 37.8 | 43.0 | 40.0 |

SNR=35dB H=40dB M=32dB L=23dB

## 3M™ PELTOR™ KID

| H510AK KID                    |      |      |      |      |      |      |      |
|-------------------------------|------|------|------|------|------|------|------|
| Frequency (Hz)                | 125  | 250  | 500  | 1000 | 2000 | 4000 | 8000 |
| Mean Attenuation (dB)         | 11.6 | 18.7 | 27.5 | 32.9 | 33.6 | 36.1 | 35.8 |
| Standard deviation (dB)       | 4.3  | 3.6  | 2.5  | 2.7  | 3.4  | 3.0  | 3.8  |
| Assumed Protection Value (dB) | 7.3  | 15.1 | 25.0 | 30.1 | 30.2 | 33.2 | 32.0 |

SNR=27dB H=32dB M=25dB L=15dB





---

**With more than 60 years of experience,  
the 3M™ PELTOR™ brand promises quality  
solutions that provide an engineered  
balance of comfort and hearing protection.**

---





**3M Personal Safety Division**  
**3M Svenska AB**  
Box 2341  
SE-331 02 Värnamo, Sweden

[www.3M.com/PELTOR](http://www.3M.com/PELTOR)  
[www.facebook.com/3MPELTOR](https://www.facebook.com/3MPELTOR)

Please recycle. Printed in Sweden. © 3M 2019.  
All rights reserved. 3M, SportTac and PELTOR is  
a trademark of 3M Company and its affiliates,  
used under license in Canada.